Table of Contents

3.11	1 Common Processes Overview		
	3.11.1	Creating,	Parking, Forwarding, Getting and Opening Tasks
		3.11.1.1	Overview
		3.11.1.2	Create a Task
		3.11.1.3	Create User-Defined Tasks
		3.11.1.4	Create User-Defined Tasks from User Home page
		3.11.1.5	Park a Task
		3.11.1.6	Retrieve a Parked Task
		3.11.1.7	Unable to Resolve a Parked Task
		3.11.1.8	Forward a Task
		3.11.1.9	Getting Tasks
		3.11.1.10	Getting the Next Task
			Getting a Task Automatically
		3.11.1.12	Opening a Task
		3.11.1.13	Closing a Task
		3.11.1.14	Closing Multiple Tasks
	3.11.3	Search In	structions
			Overview
		3.11.3.2	Purpose of Searches
			Search Results
		3.11.3.4	Best Practice Suggestions
		3.11.3.5	Searching for a Person Work Instructions
		3.11.3.6	Searching for a Case Work Instructions
		3.11.3.7	Searching for a Non-Indexed Document Work Instructions
		3.11.3.8	Task Search Work Instructions
			Searching for an Internal User Work Instructions
	3.11.4	Sending N	Notices
			Overview
		3.11.4.2	Correspondence Status in the WFMS
		3.11.4.3	Create Correspondence in the WFMS
			Add Addressee
			Attach Document
			Print Correspondence
		3.11.4.7	View Correspondence History in the WFMS
		3.11.4.8	Edit Correspondence in the WFMS
			Delete Correspondence in the WFMS
			Re-mail Correspondence in the WFMS
			Create Correspondence from the File Server
		3.11.4.12	Creating an Attachment from the File Server

3.11.4.13 Re-mail Correspondence in ICES
3.11.4.14 Correspondence Screens in ICES
3.11.4.15 Re-mail Correspondence in ICES from CNVN
3.11.4.16 Re-mail Correspondence in ICES from CNHS



Certain processes and work instructions are common to multiple sections of the Steady State Manual. These processes may be performed by multiple workgroups and by Coalition as well as State staff. Common processes include:

- Creating tasks
- Parking tasks
- Forwarding tasks
- Getting tasks
- Opening and closing tasks
- Managing documents
- Searching for a person, case, task or user
- Sending notices
- Processing solicited documents

Tasks (insert hyperlink) 3.11.1	Document Management (insert hyperlink to Coalition Common Processes) 3.11.4	Searching (insert hyperlink) 3.11.4
Send Notice (insert hyperlink) 3.11.4	Process Solicited Documents (insert hyperlink to Coalition Common Processes) 3.11.5	

The specific instructions for each of these common processes are found in the following sections.

13.11. Creating, Parking, Forwarding, Getting and Opening Tasks

3.11.1.1 Overview

Tasks are triggered by the system or a user. Users may create tasks in two ways:

- 1. A user may select a task from a list. This process is referred to creating a user-selected task.
- 2. If the task is not on the pre-defined list, a user may create a user-defined task.

The following sub-sections provide instructions for a user to:

- Create user-selected tasks
- Create user-defined tasks
- Park tasks that may not be completed at the end of a work day, or need further processing
- Forward tasks to different work queues or FSSA individuals

Create a Task (insert hyperlink) 3.11.1.02	Create User Defined Tasks (insert hyperlink) 3.11.1.03	Create User-Defined Tasks from User Home Page (insert hyperlink) 3.11.1.04
Park a Task (insert hyperlink) 3.11.1.05	Retrieve a Parked Task (insert hyperlink) 3.11.1.06	Unable to Resolve a Parked Task (insert hyperlink) 3.11.1.07
Forward a Task (insert hyperlink) 3.11.1.08	Getting Tasks hyperlink) (insert 3.11.1.09	Getting the Next Task (insert hyperlink) 3.11.1.10

Getting the Next Task
Automatically

3.11.1.11 (insert hyperlink)

Opening a Task

3.11.1.10 (insert hyperlink)

Closing a Task

3.11.1.13 (insert hyperlink)



3.11.1.2 Create a Task

User-selected and user-defined tasks (insert hyperlink to 3.11.1.3) are generated when a task is being processed and the user recognizes that a related task needs to be created for another workgroup. In this instance, the system does not automatically create the task. Examples of user-selected tasks are:


Complaint


Information Request from an External Party


Appeal Request

Independent Resource Assessment Request

Out-of-state Inquiry Request









3.11.1.3 Create User-Defined Tasks

A user-defined task may be created by an internal user from the *Case Home* or the *Client Home* page when attempting to create a User-Selected task, but the user does not find the task on the Task Type list. The user chooses User-Defined from the bottom of the Task Type list. Refer to your work instructions to determine whether a user-defined task needs to be created and to identify the correct workgroup/queue to which the task is routed. This is critical to avoid misrouting of tasks.


A user-defined task may also be created from the User Home page. This function is used when a user-defined task is created by the Call Center for the Service Center, or when a task is created to which no case or Client is associated. An example is when a complaint is received without case identifying information. Refer to Section 3.11.1.4 (Insert hyperlink), Create User-Defined Tasks from User Home Page.






Step | Create User-Defined Task – User Working in the Case

- 4. The Create User Task page displays.
 - ✓ A concise subject should be entered, unless other instructions are provided defining what the Subject title should be.
 - ✓ The deadline (including the time) that should be entered is the day the task is created + 2 business days, unless other instructions are provided.
 - ✓ The priority is Medium, unless other instructions are provided.
 - ✓ Select the individual in the case from the Case Participant dropdown to which this task is associated.
 - ✓ To locate the correct work queue or FSSA individual when creating the task, select either Work Queue or User from the Assign To: dropdown and click on the *magnifying glass icon* to the right.
 - ✓ Include a concise description of any other important task details in the Comments box.



Step | Create User-Defined Task – User Working in the Case


To locate the correct work queue when creating the task, click the magnifying glass icon to the right of the work queue field. All State queues begin with FSSA, for example "FSSA Fiat Authorization".



6. Click Save.

3.11.1.4 Create User-Defined Tasks from User Home page

A user-defined task may also be created from the User Home page; this function is **only used when a task is created to which no Case or Client is associated**. An example is when a complaint is received without any case identifying information.






Step **Create User-Defined Task from User Home page** 2. The Create User Task page displays. When a user creates a user-defined task: A concise subject should be entered, unless other instructions are provided defining what the Subject title should be. The deadline (including the time) that should be entered is the day the task is created + 2 business days, unless other instructions are provided. The priority is Medium, unless other instructions are provided. ✓ To locate the correct work queue or FSSA individual when creating the task, select either Work Queue or User from the Assign To: drop down box and click on the magnifying glass icon to the right. Include a concise description of any other important task details in the Comments box. FSSA - WFMS Create User Task: - Microsoft Internet Explorer File Edit View Favorites Tools Help 3 Back • 5 Favorites 6 S W • 5 W • 5 W Address 🥘 https://s990atap01.iem.local:11213/HCSSApplication/en_US/IntegratedCase_createTaskPage.do?caseID=90026626918__o3rpu=EMStandard_listTaskPage.do%3FcaseID 💌 🔁 🙃 Family and Social Services Administration Help Create User Task: Save & New Cancel Task Details *Subject: recent items Priority: Medium 💌 Case Participant: Work Queue 9,4 Assign To: Save & New Cancel

Trusted sites


Done




3.11.1.5 Park a **Ta**sk

If a task is being processed but is not yet completed at the end of the work day, it may be necessary to Park the task and continue processing at a future point. A task may also be parked if telephone contact with a Client or applicant is required, and they cannot be reached in the first call attempt. The task is parked until the second attempt to


contact the Client; depending on the result of that contact, additional action is taken, and the task is completed and closed. Tasks not completed by the task deadline are automatically returned to the work queue.









3.11.1.6 Retrieve a Parked Task






3.11.1.7 Unable to Resolve a Parked Task





3.11.1.8 Forward a Task

While a task is being processed, it may be necessary to forward a task to another workgroup and/or queue for another internal user to process.




3.11.1.9 Getting Tasks

The process for getting a task differs depending on whether the user is getting the task upon initially signing on during the day or getting the task upon closing a previous task.

3.11.1.10 Getting the Next Task


To get the first task, the internal user initially signs on to the system and clicks *Get Next Task* from the User Home page. After that, this feature is not used because the action of closing a task results in the WFMS pushing the next task to the user, based on the user's assigned (subscribed) work queues.






3.11.1.11 Getting a Task Automatically


When a user closes a task, the next task is automatically presented under My Tasks on the User Home page. If there are other tasks in the same queue for the same case, those are presented to the user before any tasks unrelated to the current case being processed.



3.11.1.12 Opening a Task


When the user navigates to the User Home page, the first task to be processed is presented at the top of the list under My Tasks. Underneath this task is a list of any parked tasks.





3.11.1.13 Closing a Task

When a task has been completed in ICES or WFMS, the user must close the task in WFMS. This triggers the next task in the queue to be presented to be worked.



3.11.1.14. Closing Multiple Tasks

Multiple unreserved same-level tasks can be closed from the *Tasks* page, if the tasks have been completed. For example the SEC can close both the *Phone Interview Pending* task and the *AM/PM Callback* task once the interview is completed.

Step	Closing Multiple Tasks						
1.	From the Case Home page click on Tasks in the Left Navigation.						
2.	Check the appropriate tasks to be closed. Click on Close Selected Tasks. APPLY NOW - 2000095808						
	Tasks: APPLY NOW - 2000095808 Create Task Close Selected Tasks						Help
	Create	Task ID	Subject	<u>Priority</u>	<u>Status</u>	Reserved By	<u>Deadline</u>
		9000062983	1082 - Phone Interview Pending for APPLY NOW	High	Open		1/28/2008 18:32
		9000062984	AM callback	Medium	Parked	dcfssasec	1/29/2008 13:00
		9000062985	AM callback	Medium	Parked	crosbyd	1/29/2008 13:00
		9000070914	Alert Number: 646. EMPLOYMENT BEGAN/ENDED - AEIEI.	Medium	Closed		
		9000071428	1036 - State Review and Eligibility Determination - ADCR #01, FS #01, MA C #01, MA X #01	High	Closed		
	•						
3.	Click <i>Home</i> in the upper right corner to display the User Home page to continue working.						

3.11.4 Search Instructions

3.11.4 Overview

Search-related activities may be initiated when applicants, Clients or third parties contact a Call Center, Service Center, State Office or Help Center and request information about a specific case. Document Specialists at the Service Center also use Search activities to attempt to index documents to cases or applications that have been sent without bar codes. These activities may also occur when completing activities related to WFMS work tasks or case processing activities in ICES.

Search activities include:

Searching for a Person

Searching for a Case

Searching for a Non-Indexed Document

Searching for a Task

Searching for an Internal User

Searching for a Person (insert hyperlink)	Searching for a Case (insert hyperlink)	Searching for a Non-Indexed Document(insert hyperlink)
3.11.4.5	3.11.4.6	3.11.4.7
Searching for a Task (insert hyperlink)	Searching for an Internal User(insert hyperlink)	
3.11.4.8	3.11.4.9	

3.11.4 .2 Purpose of Searches

The purpose of the search functions is to assist users in processing actions related to cases and Clients by searching for a person, case, document, task and/or user.

In addition to performing searches in WFMS, an ICES search may be needed to determine if an individual is known to ICES. Correctly matching information in ICES is necessary to successfully complete clearance and prevent duplicate RIDS for individuals. A search can not be conducted using the ICES Application number.

3.11.4 .3 Search Results

The system displays a list of results when a search is initiated from any of the search pages (Person, Case, Non-Indexed Document, Internal User or Task). From this list, the user is able to:

Select a specific individual, case, user, task or non-indexed document

View additional details to allow identification of the correct record

When no match is found, the system displays "0 results".


3.11.4 .4 Best Practice Suggestions


When searching, if a match is not found, repeat the search using fewer search criteria. Entering all possible search criteria may not locate individuals who were initially entered into the system with minimal or incorrect information. For example, if the person's first name is Conny, use Conn as someone else may have entered it in as "Connie", "Conni", or "Conney" and the search results may not find anyone matching the individual if, in the First Name field, Conny is the only name entered for the search. Therefore, depending on search results, enter fewer details and then narrow the search, if necessary. In addition, prior names and addresses should be used when known for additional searches.





3.11.4.5 Searching for a Person


Searching for a Person is necessary to complete a work task or case processing to determine if a person already exists in the system.

























3.11.4.6 Searching for a Case


Searching for a case is necessary when you are completing a work task or case processing to determine if a case exists in the system, or to view information that is in a specific case.


If the case is a State Program which is never entered into the ICES system, the results display as an application, even when case processing is completed.
























3.11.4.7 Searching for a Non-Indexed Document

The purpose of this search is to locate a submitted document that is not indexed to a case and, upon locating the document, index the document to the correct WFMS case. Non-indexed documents are maintained in a repository of Non-Indexed documents.

This search may occur at multiple points during application, re-determination and reported change processing; or other Client or eligibility related processing.

Most document searches conducted by the SEC will be from Documents in the WFMS Standard Case.








3.11.4.8 Task Search


The purpose of this search is to locate a task or tasks associated with an individual or case. This search may also occur if a listing of a specific task type is needed for multiple cases or individuals.


A task search should be completed when processing any workflow task to see if there are any other related tasks that can be processed at the same time. Since ICES Alerts will be Tasks, a Task Search should be conducted before case processing is completed.




















3.11.4.9 Searching for an Internal User Work Instructions


The Internal User search may be used to locate contact information for a system user who has completed tasks on a specific case (WFMS or ICES).











3.11.4. Sending Notices

3.11.4.1 Overview

The Send Notice work instructions describe how Coalition and State employees in a Service Center or Help Center create and manage outbound correspondence. The Workflow Management System (WFMS) adds capabilities for automating correspondence not currently available in ICES, so outbound correspondence is generated from both the WFMS and ICES.

Notices automatically generated through actions taken in ICES continue in the modernized solution; WFMS does not duplicate such notices. Rather, the WFMS augments the notice module in ICES and allows the system or the user to automate correspondence that would otherwise be done on a manual (hard copy) form or notice.

After outbound correspondence has been created in the WFMS, the system records any due date(s) associated with the notice, generates the documents and bar-coded cover sheet in the recipient's preferred language, and then sends a request to the Outbound Mail Service Provider for mailing. All correspondence is mailed by default unless the correspondence is manually marked as "Printed." The WFMS creates a pending response task to track correspondence that requires a response. Images of all outbound correspondence are stored in the WFMS correspondence history for the associated recipient case record and are accessible for reference if the Client calls with questions or requests a copy be mailed again.

Correspondence Status in the WFMS (Insert hyperlink)	Create Correspondence in the WFMS (Insert hyperlink)	Add Addressee(Insert hyperlink)
3.11.4.2	3.11.4.03	3.11.4.04
Attach Document (Insert hyperlink)	Print Correspondence (Insert hyperlink)	View Correspondence History in the WFMS (Insert hyperlink)
3.11.4.05	3.11.4.06	3.11.4.07
Edit Correspondence in the WFMS (Insert hyperlink)	Delete correspondence in the WFMS (Insert hyperlink)	Re-mail Correspondence in the WFMS (Insert hyperlink)
3.11.4.08	3.11.4.09	3.11.4.10
Create Correspondence in the File Server(Insert hyperlink)	Creating an Attachment from the File Server(Insert hyperlink)	Re-mail Correspondence in ICES (Insert hyperlink)
3.11.4.11	3.11.4.12	3.11.4.13
Correspondence Screens in ICES (Insert hyperlink) 3.11.4.14	Re-mail Correspondence in ICES from CNVN (Insert hyperlink) 3.11.4.15	Re-mail Corresondence in ICES from CNHS (Insert hyperlink) 3.11.4.16

3.11.4.2 Correspondence Status in the WFMS

The WFMS maintains four statuses for correspondence. A correspondence status of "Scheduled" indicates the correspondence has been created and is scheduled for mailing. A correspondence status of "Mailed" indicates the correspondence has already been mailed to the designated addressee. A correspondence status of "Printed" indicates the correspondence has been printed locally at a Help Center and therefore not mailed to the designated addressee. A correspondence status of "Re-mailed" indicates a copy of previously mailed correspondence has been re-mailed to the designated addressee.

3.11.4.3 Create Correspondence in the WFMS


If more than one form/notice is included in the outbound correspondence, only the first form/notice selected is listed on the Correspondence page. Therefore, it is best practice to select the most relevant form/notice first. For example, if there is a need to create a FI 2032 Pending Verifications for Applicants-Recipients and include additional forms/notices, select the FI 2032 Pending Verifications for Applicants-Recipients first so the Correspondence page lists this as the detail line item.


Standard Practice: It is a standard practice for all Coalition staff to attempt collateral contacts when available and allowed by policy in an effort to avoid pending for the information.


Updating information during the Create Correspondence process in the WFMS does not update the case information in either the WFMS or ICES. Any information modified during the Create Correspondence process is only applied to the specific outbound correspondence. Therefore, correct the information either in ICES or the WFMS. All information should be updated in ICES if a case exists; if no ICES case exists, update the information in the WFMS. The first screen of Create Correspondence will allow the user to enter an additional address for third party correspondence or an alternative mailing address if the WFMS mailing address is not current.


FI 2032/FI 2032A: The FI 2032 Pending Verifications for Applicants-Recipients is pre-populated with information requested on the Pending Verification Checklist. Therefore, it is necessary to complete the Pending Verification Checklist in the WFMS before creating correspondence. The FI 2032A Pending Verifications for Applicants-Recipients for Application Case is NOT pre-populated with information requested on the Pending Verification Checklist. The FI 2032A Pending Verifications for Applicants-Recipients for Application Case should be used when only an application case exists or at the expedite appointment for an Add a Program/AG when the client name is not yet listed in the WFMS standard case.


Step	Create Correspondence in the WFMS
1.	If the form to be sent is a FI 2032 Pending Verifications for Applicants-Recipients, follow Steps 2-6.
	If the form is not a 2032, go to Step 7.


















































3.11.4.4 Add Addressee

The Add Addressee function should be used when sending an exact duplicate of the entire correspondence packet to an Authorized Representative or to a third party. If an ICES case exists, Authorized Representatives are updated in the WFMS based on information contained in the ICES case. If an ICES case is not yet created, the Authorized Representatives are determined based on information contained in the WFMS case.









3.11.4.5 Attach Document

The Attach Document function should be used when a document indexed to an application, case or Client is to be included in the outbound correspondence. Certain forms/notices require a release of information form to be included in the outbound correspondence packet. Be sure to attach any necessary release of information forms in accordance with policy.








3.11.4.6 Print Correspondence


This step links from Step 30 of Section 3.11.4.3, Create Correspondence in the WFMS.

All correspondence is mailed by default. If the correspondence packet is printed locally and the status is updated to "Printed," the correspondence packet is not mailed. This feature is only used in the Help Center.











3.11.4.7 View Correspondence History in the WFMS

The Correspondence page in the WFMS displays a complete history of all correspondence generated from the WFMS. If more than one form/notice is included in the outbound correspondence packet, not all forms/notices included are listed as individual line items. Instead, only the first form/notice selected during the Create Correspondence process is listed as the Correspondence Name for the entire packet. Therefore it may be necessary to view the correspondence packet to determine if additional forms/notices are included.

Notices generated from ICES are shown with limited line item detail on the Correspondence page in the WFMS. Notice text is available only in ICES for notices generated from ICES.







Step		View Correspondence History in the WFMS
6.	•	To re-mail a copy of the correspondence, refer to Section 3.11.4.10, Re-mail Correspondence in the WFMS.
	•	To delete the correspondence, refer to Section 3.11.4.9, Delete Correspondence.

3.11.4.8 Edit Correspondence in the WFMS

Correspondence with a status of "Mailed" or "Printed" may not be modified; only correspondence with a status of "Scheduled" may be modified.






3.11.4.09 Delete Correspondence in the WFMS


Correspondence with a status of "Mailed" or "Printed" may not be deleted; only correspondence with a status of "Scheduled" may be deleted.






3.11.4.10 Re-mail Correspondence in the WFMS

An internal user is able to re-mail a copy of a notice previously sent from the WFMS if a Client, authorized representative, or third party requests a copy.











3.11.4.11 Create Correspondence from the File Server


In most instances, forms on the file server are used for outbound correspondence. Certain forms, such as the Identity Affidavit for Children Under 16 form is created as an attachment to the case. This section describes the steps for creating correspondence from the shared drive on the File Server. Section 3.11.4.12 describes the steps for creating an attachment such as the Identity Affidavit for Children Under 16 form.


















3.11.4.12 Creating an Attachment from the File Server


Certain forms, such as the SEC Interview Guide is accessed from the shared drive on the File Server. Instead of creating these forms as correspondence, the user creates them as attachments to the case in Documents and then creates tasks for other internal users to process, if necessary..














		Caru	топпринта		
<u>View</u> <u>Edit</u>	Vital Statistics	Birth Certificate	brenda tompkins	10/3/2007	Received
<u>View Edit</u>	Vital Statistics	Social Security Card	<u>brenda</u> <u>tompkins</u>	10/3/2007	Received
<u>View Edit</u>	Vital Statistics	Birth Certificate	brenda tompkins	10/3/2007	Received
<u>View Edit</u>	Vital Statistics	Social Security Card	<u>brenda</u> <u>tompkins</u>	10/3/2007	Received
<u>View Edit</u>	Unknown	<u>Unknown</u> <u>document</u>	BRENDA TOMPKINS	10/4/2007	Reviewed
<u> </u>	Policy Support Forms	Policy Interpretation Request/Response	BRENDA TOMPKINS	10/4/2007	Received
If the form does r	not require further active to be acted upo	Interpretation	TOMPKINS nating work in	nstructions. If t	he form

3.11.4.13 Re-mail Correspondence in ICES

ICES notices are automatically generated as a result of temporal events or actions taken in ICES. Therefore the only correspondence type that can be manually generated from ICES is a duplicate notice if a Client and/or authorized representative requests a copy.

3.11.4.14 Correspondence Screens in ICES

Summary Screen	Detail Screen	Description
CNVN		VIEWABLE NOTICE LISTING – Provides a record of all Client notices that have been generated in the current month and the three previous months.
	CNVT	VIEW NOTICE TEXT – Provides a view of the text of Client notices that have been generated in the current month and the three previous months.
CNHS		NOTICE HISTORY – Provides a record of all Client notices that have been generated.
	CNDH	NOTICE HISTORY DETAIL – Provides information about a specific Client notice that has been generated by the system.

3.11.4.15 Re-mail Correspondence in ICES from CNVN

Step	Re-mail Correspondence in ICES from CNVN		
1.	In ICES, navigate to the correspondence history for the associated case record by entering TRAN: CNVN; PARMS: ICES Case Number.		
	NEXT TRAN: CNVN PARMS: 2000014999		
2.	From the ICES notice history, identify the notice to be re-mailed.		
	CNVN VIEWABLE NOTICE LISTING 08/03/07 T49704 A		
	CASE/APPL NBR. 2000014999		
	SEL MAILED TYPE ADDRESSEE O1 04/01/02 AE01 WOMAN DISABLED O2 04/01/02 AE01 MAN DISABLED MA D 01 MEDICAID APPROVAL MA D 01 MEDICAID APPROVAL		
	VZ VT/VI/VZ ALVI MAN DISABLED MA D VI MEDICATO ALTROVAL		
	ENTER SELECTION NUMBER: 01 PFKEY 16: VIEW NOTICE TEXT PFKEY 17: BACK TO TOP		
	FIRET 10. VIEW NOTICE TEXT FIRET 17. BACK TO TOP		

Step	Re-mail Correspondence in ICES from CNVN		
3.	To view the notice text, enter the selection number. Press the PF16 key.		
4.	ICES displays screen CNVT – View Notice Text.		
	CNVT VIEW NOTICE TEXT 08/03/07 13:22 NOTICE TYPE: AE01 CASE: 2000014999 T49704 A REFM/RO COUNTY: 22 FLOYD WORKER: TEST01 BOB REFM NOTICE REQUESTED: 03/28/02 MAILED: 04/01/02		
	WOMAN DISABLED ADDR CITY, IN 46221		
	Dear WOMAN DISABLED,		
	MA D 02 Your application for MEDICAID dated MARCH 28, 2002 has been approved.		
	Your medical coverage is effective MAY 01, 2002.		
	You were also eligible for the following month(s):		
	** THIS IS A SCREEN PRINT AND DOES NOT SATISFY NOTICE REQUIREMENTS ** LAST DUP SENT: COPY SENT: PF7-PG UP PF8-PG DN PF23-DUPLICATE NOTICE PF24-COPY NOTICE PF17-RETURN TO LISTING NEXT TRAN: PARMS:		
5.	Press PF23 to generate a copy of the notice to be re-mailed.		
6.	Enter TRAN: CLRC; PARMS; ICES Case Number. Update case notes regarding action taken.		
	CLRC RUNNING RECORD COMMENTS 08/03/07 13:27 T49704 A REFM/ROC COMMENTS TYPE: GENERAL COUNTY: 22 CASE: 2000014999 INITIAL CONTACT: MAN DISABLED		
	COMMENTS 08/03/07 T49704 WOMAN DISABLED CALLED AND REQUESTED A COPY OF MA D AWARD LETTER BE RESENT. GENERATED DUPLICATE NOTICE.		

3.11.4.16 Re-mail Correspondence in ICES from CNHS

Step	Re-mail Correspondence in ICES from CNHS		
1.	In ICES, navigate to the correspondence history for the associated case record by entering TRAN: CNHS; PARMS: ICES Case Number.		
	NEXT TRAN: CNHS PARMS: 2000014999		

```
Re-mail Correspondence in ICES from CNHS
Step
   2.
         From the ICES notice history, identify the notice to be re-mailed.
                                                                             08/03/07 13:33
T49704 A REFM/RO
          CNHS
                                          NOTICE HISTORY
                                CASE/APPL NBR. 2000014999
          DTL ****** NOTICE *****
                                                          ***** WORKER *****
          SEL MAILED REQUESTED TYPE CAT SEQ
1 04/01/02 03/28/02 AE01 MA D 01
2 04/01/02 03/28/02 AE01 MA D 02
                                                          NUMBER NAME
                                                          TEST01 B REFM/ROGER
                                                          TEST01 B REFM/ROGER
                                 ENTER SELECTION NUMBER: 01
          PFKEY 15: NOTICE DETAIL INFORMATION
  3.
         To view the notice detail information, enter the selection number. Press the PF15 key.
   4.
         ICES displays screen CNHD – Notice History Detail.
                                                                               08/03/07
                                      NOTICE HISTORY DETAIL
                                                                                            13:50
                                                                               T49704 A REFM/RG
           NOTICE TYPE: AE01 APPROVAL NOTICE
           CASE/CAT/SEQ: 2000014999 MA D 02 AG NAME: WOMAN DISABLED WORKER: TEST01 BOB REFM
           NOTICE REQUESTED: 03/28/02
                                               MAILED: 04/01/02
                                                                            REASONS:
           MAILED TO: WOMAN DISABLED
                                         , IN 462210000
                            : 03/28/02
           APPL DATE
                            : APPROVED
: 05/01/02
           STATUS
           EFF DATE
           LAST DUP SENT:
                                       COPY SENT:
                                                                  PF-8 NEXT PAGE
           PF23-DUPLICATE NOTICE
                                        PF24-COPY NOTICE
                                                                  PF17-RETURN TO SUMMARY
           NEXT TRAN:
                                 PARMS:
  5.
         Press PF23 to generate a copy of the notice to be re-mailed.
```

Step	Re-mail Correspondence in ICES from CNHS			
6.	Enter TRAN: CLRC; PARMS; ICES Case Number. Update case notes regarding action taken.			
	CLRC	RUNNING RECORD COMMENTS 08/03/07 13:27 T49704 A REFM/ROC		
	COMMENTS TYPE: GE COUNTY: 22 CASE:			
	ENTERED USERID 08/03/07 T49704	COMMENTS WOMAN DISABLED CALLED AND REQUESTED A COPY OF MA D AWARD LETTER BE RESENT. GENERATED DUPLICATE NOTICE		

